Montana Board of Oil and Gas Conservation Environmental Assessment

Operator: Nautilus Poplar, LLC. Well Name/Number: EPU 119 Location: NE NE Section 31 T29N R51E County: Roosevelt, MT; Field (or Wildcat) East Poplar
Air Quality (possible concerns) Long drilling time: No, 10 to 15 days drilling time. Unusually deep drilling (high horsepower rig): No, double or small triple derrick drilling rig to drill to 7450' TD. Possible H2S gas production: Yes possible H2S gas production. In/near Class I air quality area: Yes, Class I air quality area, Fort Peck Indian Reservation. Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required under 75-2-211. Mitigation:
_X Air quality permit (AQB review) Gas plants/pipelines available for sour gas Special equipment/procedures requirements Other: Comments: Double or small triple derrick drilling rig to drill to 7450' TD. No special concerns.
Water Quality
(possible concerns) Salt/oil based mud: Yes, freshwater and freshwater mud system on surface hole, salt saturated mud system on the intermediate string hole and mineral oil in the openhole. High water table: Possible high water table in this area. Surface drainage leads to live water: Yes, closest surface drainage is the Poplar River about ¼ of a mile to the south and an unnamed ephemeral tributary drainage to the Poplar River, about ¼ of a mile to the east from this location. Water well contamination: No, all water wells shallower than surface casing setting depth of 1,100'. Closest water wells to this location are 1/8 of a mile to the northwest and southwest from this location. Surface hole will be drilled with freshwater and surface casing set and cemented back to surface from 1,100'. All wells within ½ mile of this location are USGS unused wells 60' and less in depth. Porous/permeable soils: No, sandy silty clay soils. Class I stream drainage: No Class I stream drainages. Mitigation: X Lined reserve pit X Adequate surface casing Berms/dykes, re-routed drainage Closed mud system Off-site disposal of solids/liquids (in approved facility) Other:

Comments: <u>1,100' of surface casing cemented to surface is enough surface casing to cover the Judith River Formation.</u>

Soils/Vegetation/Land Use

(possible concerns)
Steam crossings: None anticipated.
High erosion potential: No, small cut up to 1.6' and small fill, up to .5' required.
Loss of soil productivity: No, location will be restored after drilling, if nonproductive. If
productive unused portion of drillsite will be reclaimed.
Unusually large wellsite: No, large location for a well of this depth, 320'X350' location
size required.
Damage to improvements: Slight, surface use is a cultivated field.
Conflict with existing land use/values: Slight
Mitigation
Avoid improvements (topographic tolerance)
Exception location requested
X Stockpile topsoil
Stream Crossing Permit (other agency review)
X Reclaim unused part of wellsite if productive
Special construction methods to enhance reclamation
<u>X</u> Other: <u>Requires DEQ General Permit for Storm Water Discharge Associated</u>
with Construction Activity, under ARM 17.30.1102(28)
Comments: Using existing county gravel roads. Will have to build about 706" of new
access road into location off existing county gravel road. Drilling fluids and completion
fluids will be hauled to a commercial Class II disposal Cuttings will be left in the lined
pit. Cuttings and pit will be buried after being allowed to dry. No special concerns.
Health Hazards/Noise
Health Hazards/Noise
Health Hazards/Noise (possible concerns)
(possible concerns)
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S.
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station.
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S.
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S. Size of rig/length of drilling time: Double or small triple drilling rig 10 to 15 days drilling time. Mitigation:
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S. Size of rig/length of drilling time: Double or small triple drilling rig 10 to 15 days drilling time. Mitigation: X Proper BOP equipment
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S. Size of rig/length of drilling time: Double or small triple drilling rig 10 to 15 days drilling time. Mitigation: _X_Proper BOP equipmentTopographic sound barriers
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S. Size of rig/length of drilling time: Double or small triple drilling rig 10 to 15 days drilling time. Mitigation:
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S. Size of rig/length of drilling time: Double or small triple drilling rig 10 to 15 days drilling time. Mitigation: _X_Proper BOP equipmentTopographic sound barriers
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S. Size of rig/length of drilling time: Double or small triple drilling rig 10 to 15 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other:
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S. Size of rig/length of drilling time: Double or small triple drilling rig 10 to 15 days drilling time. Mitigation: X Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Proper BOP and adequate surface casing should mitigate any
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S. Size of rig/length of drilling time: Double or small triple drilling rig 10 to 15 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other:
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S. Size of rig/length of drilling time: Double or small triple drilling rig 10 to 15 days drilling time. Mitigation: X Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Proper BOP and adequate surface casing should mitigate any problems. No concerns.
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S. Size of rig/length of drilling time: Double or small triple drilling rig 10 to 15 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Proper BOP and adequate surface casing should mitigate any problems. No concerns.
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S. Size of rig/length of drilling time: Double or small triple drilling rig 10 to 15 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Proper BOP and adequate surface casing should mitigate any problems. No concerns. Wildlife/recreation (possible concerns)
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S. Size of rig/length of drilling time: Double or small triple drilling rig 10 to 15 days drilling time. Mitigation: X Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Proper BOP and adequate surface casing should mitigate any problems. No concerns. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified.
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S. Size of rig/length of drilling time: Double or small triple drilling rig 10 to 15 days drilling time. Mitigation: X Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Proper BOP and adequate surface casing should mitigate any problems. No concerns. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: None identified.
(possible concerns) Proximity to public facilities/residences: Closest residences are 1 mile and further from this location. To the north about ¼ of a mile is a tank farm and pump station. Possibility of H2S: Possible H2S. Size of rig/length of drilling time: Double or small triple drilling rig 10 to 15 days drilling time. Mitigation: X Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Proper BOP and adequate surface casing should mitigate any problems. No concerns. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified.

Threatened or endangered Species: <u>Threatened, endangered or candidate species</u> identified are the Pallid Sturgeon, Interior Least Tern, Piping Plover and the Whooping
Crane.
Mitigation:
Avoidance (topographic tolerance/exception)
Other agency review (DFWP, federal agencies, DSL)
Screening/fencing of pits, drillsite
Other:
Comments: <u>Live water nearby, Poplar River, but location is in a cultivated field.</u>
Distance to the Poplar River is sufficient that drilling fluid should not impact the river.
Private surface lands. No concerns.
Historical/Cultural/Paleontological
(possible concerns)
Proximity to known sites: None identified.
Mitigation
avoidance (topographic tolerance, location exception)
other agency review (SHPO, DSL, federal agencies)
Other: Comments: Private cultivated surface lands. No concerns.
Comments. Private cultivated surface failus. No concerns.
Social/Economic
(possible concerns)
Substantial effect on tax base
Create demand for new governmental services
Population increase or relocation
Comments: Well is a wildcat test in the East Poplar Oil Field. No concerns.
Remarks or Special Concerns for this site
Mall is a 7450 TD vertical Niels. Formation test in December 4
Well is a 7450' TD vertical Nisku Formation test in Roosevelt County.
Summary: Evaluation of Impacts and Cumulative effects
, , , , , , , , , , , , , , , ,
No significant long term impacts expected, some short term impacts are expected.
·
I conclude that the approval of the subject Notice of Intent to Drill (does/does not)
constitute a major action of state government significantly affecting the quality of the
human environment, and (does/ does not) require the preparation of an environmental
impact statement.
Prepared by (BOGC): /s/Steven Sasaki

(title:) Chief Field Inspector Date: August 24, 2010
Other Persons Contacted:
Montana Bureau of Mines and Geology, GWIC website (Name and Agency) Roosevelt County water wells (subject discussed)
_August 24, 2010(date)
ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA COUNTIES, Roosevelt County (subject discussed)
August 24, 2010 (date)
If location was inspected before permit approval: Inspection date: Inspector: Others present during inspection: